


未注公差 (单位: mm)				
规格	A ()	B ()	C ()	D ()
0 < L ≤ 25	±0.05	±0.1	±0.2	±0.4
25 < L ≤ 50	±0.05	±0.1	±0.2	±0.4
50 < L ≤ 100	±0.1	±0.15	±0.3	±0.6
100 < L ≤ 200	±0.15	±0.2	±0.4	±0.8
200 < L ≤ 500	±0.2	±0.3	±0.5	±1.0
500 < L ≤ 1000	±0.3	±0.4	±0.6	±1.2
1000 < L ≤ 2000	±0.4	±0.5	±0.8	±1.5
2000 < L ≤ 5000	±0.5	±0.6	±1.0	±2.0
5000 < L ≤ 10000	±0.6	±0.8	±1.2	±2.5
10000 < L ≤ 20000	±0.8	±1.0	±1.5	±3.0
20000 < L ≤ 50000	±1.0	±1.2	±2.0	±4.0

版本	标记	日期	改前	改后
A		2025-07-31		




客户名称		客户编号	M017.00358
本厂编号		型材编号	

单位	mm	页码		机 型	
比例	1:1	制图		图 号	
材料		审核		零件名称	
日期	2025-07-31	批准		物料编号	





视角

未注公差 (单位: mm)				
标注\等级	A()	B(✓)	C()	D()
0 < L ≤ 3	±0.05	±0.1	±0.2	±0.4
3 < L ≤ 6	±0.05	±0.1	±0.2	±0.4
6 < L ≤ 16	±0.1	±0.15	±0.3	±1.0
16 < L ≤ 30	±0.1	±0.2	±0.5	±1.5
30 < L ≤ 120	±0.15	±0.3	±0.8	±2.0
120 < L ≤ 315	±0.2	±0.5	±1.2	±2.5
315 < L ≤ 1000	±0.5	±0.8	±2.0	±3.5
1000 < L ≤ 2000	±1.0	±1.2	±3.0	±5.0


版本	标记	日期	改前	改后
A		2025-07-31		



A: 4-M3(Effective Thread Length: 7mm)
B: Aluminum Profile;
C: Surface Treatment




A: 4-Ø2.5-M3x6 Standoffs (or Studs);
B: 4-Ø2.5-M3;
C: Aluminum Profile
D: Surface Treatment







单位	mm	页码	1/1	机型	
比例	1:1	制图	傅饶	图号	
材料		审核		零件名称	主体
日期	2025-07-31	批准		物料编号	

			M017.00358
本厂编号		型材编号	







未 注 公 差 (单位: mm)				
标注\等级	A()	B(✓)	C()	D()
0 < L ≤3	±0.05	±0.1	±0.2	±0.4
3 < L ≤ 6	±0.05	±0.1	±0.2	±0.4
6 < L ≤16	±0.1	±0.15	±0.3	±1.0
16 < L ≤30	±0.1	±0.2	±0.5	±1.5
30 < L ≤120	±0.15	±0.3	±0.8	±2.0
120 < L ≤315	±0.2	±0.5	±1.2	±2.5
315 < L ≤1000	±0.5	±0.8	±2.0	±3.5
1000 < L ≤2000	±1.0	±1.2	±3.0	±5.0

版本	标记	日 期	改前	改后
A		2025-07-31		




A: 4-Ø3.2-Ø4.5 Countersunk Holes;
B: 1.0mm Aluminum Sheet
C: Surface Treatment
Panel 2



A: 4-Ø3.2-Ø4.5 Countersunk Holes;
B: 1.0mm Aluminum Sheet
C: Surface Treatment
Panel 1



			M017.00358
本厂编号		型材编号	

单 位	mm	页 码	1/1	机 型	
比 例	1:1	制 图	傅饶	图 号	
材 料		审 核		零件名称	面板
日 期	2025-07-31	批 准		物料编号	




未 注 公 差 (单位: mm)				
标注\等级	A()	B(✓)	C()	D()
0 < L ≤3	±0.05	±0.1	±0.2	±0.4
3 < L ≤ 6	±0.05	±0.1	±0.2	±0.4
6 < L ≤16	±0.1	±0.15	±0.3	±1.0
16 < L ≤30	±0.1	±0.2	±0.5	±1.5
30 < L ≤120	±0.15	±0.3	±0.8	±2.0
120 < L ≤315	±0.2	±0.5	±1.2	±2.5
315 < L ≤1000	±0.5	±0.8	±2.0	±3.5
1000 < L ≤2000	±1.0	±1.2	±3.0	±5.0

版本	标记	日 期	改前	改后
A		2025-07-31		



A: 4-Ø3.2-Ø4.5-Countersunk Holes;
B: 2.0mm Aluminum Sheet
C: Surface Treatment
Base Panel



			M017. 00358
本厂编号		型材编号	

单 位	mm	页 码	1/1	机 型	
比 例	1:1	制 图	傅饶	图 号	
材 料		审 核		零件名称	底板/散热块
日 期	2025-07-31	批 准		物料编号	

